

HBT-系列 漩涡风机

HBH-Series Side Channel Blower



Mod	Freq (Hz)	Power (KW)	Voltage (V)	Current (A)	GW (KG)	Noise (dB)	Flow (m³/h)	Suction (mbar)	Compres (mbar)
HBT 3516-1	50	2.2	200-260△/350-450Y	8.1△/4.6Y	45	64	315	-190	170
	60	2.55	230-290△/400-500Y	8.0△/4.6Y		68	370	-150	130
HBT 3526-1	50	3.0	200-260△/350-450Y	11.4△/6.5Y	50	65	315	-290	270
	60	3.45	230-290△/400-500Y	10.8△/6.2Y		69	370	-250	220
HBT 3537-1	50	4.0	350-450△/610-725Y	8.4△/4.8Y	62	65	315	-350	390
	60	4.6	400-500△/690-725Y	8.2△/4.7Y		69	370	-370	340
HBT 3547-1	50	5.5	350-450△/610-725Y	11.1△/6.4Y	74	65	315	-350	500
	60	6.3	400-500△/690-725Y	11.0△/6.4Y		69	370	-390	510
HBT 3526-2	50	3.0	200-260△/350-450Y	11.4△/6.5Y	68	68	320	-230	190
	60	3.45	230-290△/400-500Y	10.8△/6.2Y		71	380	-150	120
HBT 3537-2	50	4.0	350-450△/610-725Y	8.4△/4.8Y	79	69	320	-350	310
	60	4.6	400-500△/690-725Y	8.2△/4.7Y		72	380	-280	230
HBT 3547-2	50	5.5	350-450△/610-725Y	11.1△/6.4Y	90	71	320	-530	480
	60	6.3	400-500△/690-725Y	11.0△/6.4Y		74	380	-480	390
HBT 3557-2	50	7.5	350-450△/610-725Y	15.0△/8.7Y	97	71	320	-530	700
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		74	380	-580	610
HBT 3567-2	50	11	350-450△/610-725Y	22.0△/12.7Y	120	72	320	-530	870
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		76	380	-580	930
HBT 3537-3	50	4.0	350-450△/610-725Y	8.4△/4.8Y	82	69	320	-300	250
	60	4.6	400-500△/690-725Y	8.2△/4.7Y		72	380	-200	150
HBT 3547-3	50	5.5	350-450△/610-725Y	11.1△/6.4Y	93	71	320	-490	410
	60	6.3	400-500△/690-725Y	11.0△/6.4Y		74	380	-410	300
HBT 3557-3	50	7.5	350-450△/610-725Y	15.0△/8.7Y	100	71	320	-680	620
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		74	380	-650	510
HBT 3567-3	50	11.0	350-450△/610-725Y	22.0△/12.7Y	120	72	320	-680	1020
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		76	380	-650	880
HBT 3577-3	50	15.0	350-450△/610-725Y	30.5△/17.3Y	136	72	320	-680	1020
	60	17.3	400-500△/690-725Y	29.5△/17.0Y		76	380	-650	1050
HBT 5526-1	50	3.0	200-260△/350-450Y	11.4△/6.5Y	66	69	480	-130	120
	60	3.45	230-290△/400-500Y	10.8△/6.2Y		74	565	-70	60
HBT 5537-1	50	4.0	350-450△/610-725Y	8.4△/4.8Y	78	69	480	-230	200
	60	4.6	400-500△/690-725Y	8.2△/4.7Y		74	565	-170	140
HBT 5547-1	50	5.5	350-450△/610-725Y	11.1△/6.4Y	88	69	480	-380	330
	60	6.3	400-500△/690-725Y	11.0△/6.4Y		85	565	-310	260
HBT 5557-1	50	7.5	350-450△/610-725Y	15.0△/8.7Y	96	69	480	-380	500
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		85	565	-410	440
HBT 5547-2	50	5.5	350-450△/610-725Y	11.1△/6.4Y	118	70	480	-270	220
	60	6.3	400-500△/690-725Y	11.0△/6.4Y		74	580	-180	130

HBT-系列 漩涡风机

HBT-Series Side Channel Blower




Mod	Freq (Hz)	Power (KW)	Voltage (V)	Current (A)	GW (KG)	Noise (dB)	Flow (m³/h)	Suction (mbar)	Compres (mbar)
HBT 5557-2	50	7.5	350-450△/610-725Y	15.0△/8.7Y	126	70	480	-450	370
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		74	580	-370	280
HBT 5567-2	50	11.0	350-450△/610-725Y	22.0△/12.7Y	145	70	480	-530	630
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		74	580	-540	530
HBT 5577-2	50	15.0	350-450△/610-725Y	30.5△/17.3Y	156	70	480	-530	890
	60	17.3	400-500△/690-725Y	29.5△/17.0Y		74	580	-540	870
HBT 5557-3	50	7.5	350-450△/610-725Y	15.0△/8.7Y	142	71	480	-380	280
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		77	580	-240	140
HBT 5567-3	50	11.0	350-450△/610-725Y	22.0△/12.7Y	167	71	480	-610	540
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		77	580	-590	390
HBT 5577-3	50	15.0	350-450△/610-725Y	30.5△/17.3Y	180	71	480	-610	830
	60	17.3	400-500△/690-725Y	29.5△/17.0Y		77	580	-590	680
HBT 5587-3	50	18.5	350-450△/610-725Y	37.0△/21.0Y	195	71	480	-610	1020
	60	21.3	400-500△/690-725Y	36.5△/21.0Y		77	580	-590	870
HBT 7547-1	50	5.5	350-450△/610-725Y	11.1△/6.4Y	110	71	750	-180	160
	60	6.3	400-500△/690-725Y	11.0△/6.4Y		75	880	-100	80
HBT 7557-1	50	7.5	350-450△/610-725Y	15.0△/8.7Y	118	71	750	-310	270
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		75	880	-240	190
HBT 7567-1	50	11.0	350-450△/610-725Y	22.0△/12.7Y	140	71	750	-380	450
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		75	880	-410	380
HBT 7577-1	50	15.0	350-450△/610-725Y	30.5△/17.3Y	152	71	750	-380	550
	60	17.3	400-500△/690-725Y	29.5△/17.0Y		75	880	-410	590
HBT 7557-2	50	7.5	350-450△/610-725Y	15.0△/8.7Y	158	73	720	-220	170
	60	8.6	400-500△/690-725Y	15.1△/8.8Y		77	840	-90	70
HBT 7567-2	50	11.0	350-450△/610-725Y	22.0△/12.7Y	177	73	720	-440	350
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		77	840	-340	240
HBT 7577-2	50	15.0	350-450△/610-725Y	30.5△/17.3Y	186	73	720	-530	550
	60	17.3	400-500△/690-725Y	29.5△/17.0Y		77	840	-530	450
HBT 7587-2	50	18.5	350-450△/610-725Y	37.0△/21.0Y	202	73	720	-530	730
	60	21.3	400-500△/690-725Y	36.5△/21.0Y		77	840	-530	610
HBT 7567-3	50	11.0	350-450△/610-725Y	22.0△/12.7Y	210	74	690	-370	270
	60	12.6	400-500△/690-725Y	22.0△/12.9Y		78	795	-230	140
HBT 7577-3	50	15.0	350-450△/610-725Y	30.5△/17.3Y	223	74	690	-600	470
	60	17.3	400-500△/690-725Y	29.5△/17.0Y		78	795	-530	340
HBT 7587-3	50	18.5	350-450△/610-725Y	37.0△/21.0Y	230	74	690	-600	640
	60	21.3	400-500△/690-725Y	36.5△/21.0Y		78	795	-590	500



HBT-系列 漩涡风机参数曲线图

Vacuum Compression Selection Diagram
 真空压缩图表 50Hz



Vacuum Compression Selection Diagram
 真空压缩图表 60Hz

